For:

Form PTO-1449

Applicant: Christy Cummins et al.

Serial No.: 10/517,004 Filing Date: June 6, 2005

BLOOD VESSEL CLOSURE CLIP AND DELIVERY DEVICE

Sheet 1 of 4 Confirmation No.: 8672

Att'y Docket No.: 16497.124 Art Unit: 3773

SUPPLEMENTAL INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANT

U.S. Patent Documents

Examiner Initial*	Document Number	<u>Date</u>	<u>Name</u>
A1	438,400	10/14/1890	Brennen
A2	2,583,625	01/29/1952	Bergan
A3	3,120,230	02/04/1964	Skold
A4	3,113,379	12/10/1963	Frank
A5	3,523,351	08/11/1970	Filia
A6	3,828,791	08/13/1974	Santos
A7	4,201,215	05/06/1980	Crossett et al.
A8	4,327,485	05/04/1982	Rix
A9	4,440,170	04/03/1984	Golden et al.
A10	4,526,174	07/02/1985	Froehlich
A11	4,635,634	01/13/1987	Santos
A12	4,759,364	07/26/1988	Boebel
A13	5,032,127	07/16/1991	Frazee et al.
A14	5,078,731	01/07/1992	Hayhurst

Examiner: Date Considered:

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant: Christy Cummins et al.

Serial No.: 10/517,004 Filing Date: June 6, 2005

For: BLOOD VESSEL CLOSURE CLIP AND DELIVERY DEVICE

Sheet 2 of 4

Confirmation No.: 8672 Att'y Docket No.: 16497.124 Art Unit: 3773

Examiner Initial*	Document Number	<u>Date</u>	Name
A15	5,116,349	05/26/1992	Aranyi
A16	5,171,250	12/15/1992	Yoon
A17	5,192,288	03/09/1993	Thompson et al.
A18	5,250,058	10/05/1993	Miller et al.
A19	5,269,792	12/14/1993	Kovac et al.
A20	5,282,808	02/01/1994	Kovac et al.
A21	5,340,360	08/23/1994	Stefanchik
A22	5,431,667	07/11/1995	Thompson et al.
A23	5,437,631	08/01/1995	Janzen
A24	5,497,933	03/12/1996	DeFonzo et al.
A25	5,593,412	01/14/1997	Martinez
A26	5,547,474	08/20/1996	Kloeckl et al.
A27	5,618,291	04/08/1997	Thompson et al.
A28	5,695,524	12/09/1997	Kelley et al.
A29	5,769,870	06/23/1998	Salahieh et al.
A30	5,868,755	02/09/1999	Kanner et al.

Examiner: Date Considered:

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant:

Serial No.: Filing Date: June 6, 2005

For:

Confirmation No.: 8672 Christy Cummins et al. Att'y Docket No.: 16497.124 10/517,004 Art Unit: 3773

Sheet 3 of 4

BLOOD VESSEL CLOSURE CLIP AND DELIVERY DEVICE

Examiner Initial*	Document Number	<u>Date</u>	<u>Name</u>
A31	6,517,569	02/11/2003	Mikus et al.
A32	6,599,303	07/29/2003	Peterson et al.
A33	5,853,421	12/29/1998	Leschinsky et al.

Other Documents

Document Author, Title, etc.

Examiner Initial*

A34

"Hand tool for forming telephone connections - comprises pliers with reciprocably driven ram crimping clip around conductors against anvil", Derwent-ACC-No: 1978-B8090A.

Examiner: Date Considered:

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant: Christy Cummins et al.

Serial No.: 10/517,004 Filing Date: June 6, 2005

For: BLOOD VESSEL CLOSURE CLIP AND DELIVERY DEVICE

Sheet 4 of 4

Confirmation No.: 8672 Att'y Docket No.: 16497.124

Art Unit: 3773

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

1737501 1.doc

Examiner: Date Considered:

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.